

ACKNOWLEDGEMENTS.

I would here like to thank the many people who have helped me in the study of these interesting animals.

Firstly, Dr. Peter Jarman of the Department of Ecosystem Management, provided expert supervision in all aspects of this thesis. He was always available and unstinting in time, effort and equipment. My sincere thanks.

Jeff Miller and Steve Phillips lent their expertise to many areas of this work and provided much needed criticism in both study method and analysis. I am pleased to count them among my friends.

Martyn Robinson gave considerable aid in the areas of night-time observation of feeding flying foxes and generously provided scarce reference material and general historical information on the Gordon study site.

Helen George graciously allowed me to photograph her 'pets' and gave advice and help with mine.

Bob Wickson, the Armidale District Horticulturist, lent his time and effort to provide contacts and specimens resulting from farmer's control policies.

Dave Costello of the Kuringai Shire Council was instrumental in identifying vegetation and supplying information on soils at the study site.

Russ Hobbs of the Department of Zoology gave valuable time and invaluable aid in the mathematical analyses of activity.

Lorraine Keating gave expert assistance in the preparation of illustrations used in this thesis.

My mother and Sue Phillips typed the manuscript in a globe machine all the more ably by my difflorable handwriting, thank you very much.

Finally my father a fruit grower provided financial assistance to enable this work to be done. Thanks once again for your support and also for leaving me some bats to study.

.....

REFERENCES

- Armstrong, J.A. (1979) Biotic pollination mechanisms in the Australian Flora - a review, N.Z. J. Botany. 17:467-508.
- Baker, J.R. and Baker, Z. (1939) The seasons in a tropical rain forest (New Hebrides). Part 3. Fruit-bats (Pteropidae). J. Linn. Soc. (Zool). 40:123-40.
- Bartholemew, G.A.; Leitner, P. and Nelson, J.E. (1964) Body temperature, oxygen consumption, and heart rate in three species of Australian flying foxes. Physiol. Zool. 37:179-198.
- Bartholemew, G.A.; Dawson, W.A. and Lasiewski, R.C. (1970) Thermoregulation and heterothermy in some of the smaller flying foxes (Megachiroptera) of New Guinea. Z. Vergl. Physiol. 70(2):196-209.
- Bradbury, J.W. and Emmons, L.H. (1974) Social organisation of some Trinidad bats. I. Emballonuridae. Z. Tierpsychol. 36:137-183.
- Bradley, S.R. and Deavers, D.R. (1981) A re-examination of the relationship between thermal conductance and body weight in mammals. Comp. Biochem. Physiol. 65:465-476.
- Brown, J.H. (1968) Activity patterns of some neotropical bats. J. Mammal. 49:754-757.
- Burbank, R.C. and Young, J.Z. (1934) Temperature changes and winter sleep of bats. J. Physiol. 82:459-467
- Burton, M. and Burton, R. (1979) "The Animal World - An Encyclopedia of Animal Behaviour". Macmillan London Ltd., London. pp. 316.
- Carroll, J.B. (1979) The general behavioural repertoire of the Rodrigues Fruit bat, Pteropus rodricensis, in captivity at the Jersey Wildlife Preservation Trust. Dodo, J. Jersey Wild. Preserv. Trust. 16:51-59.
- Dwyer, P.D. (1966) The population pattern of Miniopterus schreibersii (Chiroptera) in North-eastern New South Wales. Aust. J. Zool. 14:1073-1137.
- Eibl-Eibesfeldt, I. (1961) The fighting behaviour of animals. Sc. Am. 205(6):112-122.
- Eisentraut, M. (1960) Heat regulation in primitive mammals and in tropical species. pp 31-41 in: "Mammalian Hibernation", eds. C.P. Lyman and A.R. Dawe. Bull. Mus. Comp. Zool. 124:1-549.
- Erkert, H.G. (1974) The effect of moonlight on the activity of nocturnal mammals. Oecologia. 14:269-287.

- Erkert, H.G. (1976) Lunarperiodic variation of the phase-angle difference in nocturnal animals under natural zeitgeber - conditions near the equator. Int. J. Chronobiol. 4(2):125-138.
- Erkert, S. (1970) Z. vergl. Physiol. 67:243. Quoted from Zack, S., Czeschlik, D., and Heldmaier, G. (1979) Daily activity pattern of fruit bats under natural light conditions. Naturwissenschaften. 66:322-323.
- Fayenuwo, J.O. and Halstead, L.B. (1974) Breeding cycle of Straw-Coloured fruit bat, Eidolon helvum, at Ile-ife, Nigeria. J. Mammal. 55:453-454.
- Findley, J.S. (1969) Brain size in bats. J. Mammal. 50:340-344.
- Fleming, T.H.; Heithaus, E.R. and Sawyer, W.B. (1977) An experimental analysis of the food location behaviour of frugivorous bats. Ecology. 58:619-627.
- Fleming, T.H.; Hooper, E.T. and Wilson, D.E. (1972) Three central American bat communities : Structure, reproductive cycles, and movement patterns. Ecology. 53:555-569.
- Funakoshi, Kimitake and Uchida, T.A. (1978) Studies on the physiological and ecological adaptation of temperate insectivorous bats : III. Annual activity of the Japanese House-Dwelling bat, Pipistrellus abramus. Fac. Agric. Kyushu Univ., 23(1/2):95-115
- Griffin, D.R.; Novick, A. and Kornfield, M. (1958) The sensitivity of echolocation in the fruit bat, Rousettus. Biol. Bull. 115:107-113.
- Hall, L. (1973) Flying foxes in Canberra and South-eastern Australia. Aust. Bat Res. News. No.12. p. 2-3.
- Hall, L. (1981) The Chillagoe expedition - Report No.1. Aust. Bat Res. News. No.17. P. 9-11.
- Hall, L.S. and Richards, G.C. (1979) "Bats of Eastern Australia". Queensland Museum Booklet No.12.
- Hock, R.J. (1951) The metabolic rates and body temperatures of bats. Biol. Bull., Woods Hole. 101:1767-1768.
- Humphries, D.A. and Driver, P.M. (1967) Erratic display as a device against predators. Science. 156:1767-1768.
- Jones, C. (1972) Comparative ecology of three pteropid bats in Rio Muni, West Africa. J. Zool. London. 167:353-370.

- Keen, R. and Hitchcock, H.B. (1980) Survival and longevity of the Little Brown bat (Myotis lucifugus) in southeastern Ontario. J. Mammal. 61:1-7.
- Leitner, P. (1966) Body temperature, oxygen consumption, heart rate and shivering in the California Mastiff bat, Eumops perotis. Comp. Biochem. Physiol. 19:431-443.
- Leitner, P. and Nelson, J.E. (1967) Body temperature, oxygen consumption and heart rate in the Australian False Vampire bat, Macroderma gigas. Comp. Biochem. Physiol. 21:65-74.
- Leitner, P. and Ray, S.P. (1964) Body temperature regulation of the California Leaf-Nosed bat, Macrotus californicus. Am. Zool. 4:295.
- Licht, P. and Leitner, P. (1967) Physiological responses to high environmental temperatures in three species of Microchiropteran bats. Comp. Biochem. Physiol. 22:371-387.
- Lyman, C.P. and Wimsatt, W.A. (1966) Temperature regulation in the Vampire bat, Desmodus rotundus. Physiol. Zool. 39:101-109.
- McKean, J.L. and Hamilton-Smith, E. (1967) Litter size and maternity sites in Australian bats. (Chiroptera). Vict. Nat. 84:203-206.
- McNab, B.K. (1969) The economics of temperature regulation in Neotropical bats. Comp. Biochem. Physiol. 31:227-268.
- Matthews, L.H. and Carrington, R. eds. (1971) "The Living World of Animals". Readers Digest Assn. Sydney. pp428.
- Moorehouse, D.E. (1980) A nematode worm of fruit bats as a possible human pathogen. Aust. Bat Res. News. No. 15. p. 4-5.
- Morrison, D.W. (1978a) Foraging ecology and energetics of the frugivorous bat, Artibeus jamaicensis. Ecology. 59:716-723.
- Morrison, D.W. (1978b) Lunar phobia in a neotropical fruit bat, Artibeus jamaicensis (Chiroptera : Phyllostomidae). Anim. Behav. 26:852-855.
- Mutere, F.A. (1967) The breeding biology of equatorial vertebrates: reproduction in the fruit bat, Eidolon helvum, at latitude 0° 20'N. J. Zool., London. 153:153-161.
- Nelson, J.E. (1964) Vocal communication in Australian flying foxes (Pteropodidae Megachiroptera). Z. Tierpsychol. 21:857-870.
- Nelson, J.E. (1965a) Movements of Australian flying foxes (Pteropodidae: Megachiroptera). Aust. J. Zool. 13:53-73 .

- Nelson, J.E. (1965b) Behaviour of Australian Pteropodidae (Megachiroptera) Anim. Behav. 13(4):544-557.
- Noll, U.G. (1979a) Body temperature, oxygen consumption, noradrenaline response and cardiovascular adaptations in the flying fox, Rousettus aegyptiacus. Comp. Biochem. Physiol. 63:79-88.
- Noll, U.G. (1979b) Postnatal growth and development of thermogenesis in Rousettus aegyptiacus. Comp. Biochem. Physiol. 63:89-93.
- Ogilvie, P.W. and Ogilvie, M.B. (1964) Observations of a roost of Yellow or Giant Fruit-Eating bats, Eidolon helvum. J. Mammal. 54:309-311.
- Okia, N.O. (1974) The breeding pattern of the Eastern Epauletted bat, Epomorphorus anurus Heuglin, in Uganda. J. Reprod. Fertil. 37(1):27-31.
- Okon, E.E.; Umokoro, R.M. and Ajudua, A. (1977) Diurnal variations of the glycogen and fat stores in the liver and breast muscle of the fruit bat, Eidolon helvum (Kerr). Physiol. Behav. 20:121-123.
- Pirlot, P. and Stephan, H. (1970) Encephalization in Chiroptera. Can. J. Zool. 48(3) 433-444.
- Ralls, K. (1971) Mammalian scent marking. Science. 171:443-449.
- Ratcliffe, F.N. (1931) The flying fox (Pteropus) in Australia. Bull. Coun. Sci. Ind. Res. Aust. No. 53, pp 1-80.
- Ratcliffe, F.N. (1932) Notes on the fruit bats (Pteropus sp.) of Australia. J. Anim. Ecol. 1:32-57.
- Reeder, W.G. and Cowles, R.B. (1951) Aspects of thermoregulation in bats. J. Mammal. 32:389-403.
- Robinson, K.W. and Morrison, P.R. (1957) The reaction to hot atmospheres of various species of Australian Marsupial and Placental animals. J. Cell. and Comp. Physiol. 49:455-478.
- Robinson, M. (1973) Flying foxes breeding at Gordon, Sydney. Aust. Bat. Res. News. No.12 p.2.
- Specht, R.L. (1973) Vegetation - Chapter Five in: "The Australian Environment", 4th ed. G.W. Leeper. ed. (1973) C.S.I.R.O. and Melbourne University Press. Carlton, Vic.
- Stones, R.C. and Wiebers, J.E. (1965) A review of temperature regulation in bats (Chiroptera). Am. Midland Nat. 74(1)155-167.
- Thomas, S.P. (1975) Metabolism during flight in two species of bats, Phyllostomus hastatus and Pteropus gouldii. J. Exp. Biol. 63:273-293.

- Ward, P. and Zahavi, A. (1973) The importance of certain assemblages of birds as "information-centres" for food finding. Ibis. 115:517-534.
- Whitlock, F.L. (1949) Flying foxes in Western Australia. West. Aust. Nat. 1:31-33.
- Young, A.M. (1972) An experimental study on the relation of mortality of young to adult numbers in colonies of the Lesser Sac-Winged bat, Saccopteryx bilineata perspicillifer. Am. Midland Nat. 87(1)158-164.
- Zack, S.; Czeschlik, D. and Heldmaier, G. (1979) Daily activity pattern of fruit bats under natural light conditions. Naturwissenschaften. 66:322-323.
-
- Dwyer, P.D. (1970) Social organisation in the bat, Myotis adversus. Science. 168:1106-1008.
- Leeper, G.W. (1970) Climates. Chapter 2 in "The Australian Environment". ed. G.W. Leeper.
- Thomas, D.W. and Fenton, M.B. (1978) Notes on the dry season roosting and foraging behaviour of Epomophorus gambianus and Rousettus aegyptiacus (Chiroptera : Pteropodidae). J. Zool., London. 186:403-406.
-

PLATE 1



A. Wrapped up asleep.



B. Wrapped up awake - semi-alert.



C. Hang awkwardly - wing extended.



D. Swivelling. a) Animal on right swivelling.



E. Swivelling. b) Animal has turned 180°.



F. Wings by side.



G. Hang awkwardly - wing folded.



H. Fanning.



I. Rain position.



J. Licking wing.



K. Stretching



L. Umbrella position.



A. Urine bathing.



B. Licking body.



C. Extreme colour varia - young male defaecating.



D. Mother nursing young.



E. Scratching teeth/gums.



F. Scratching nose.



G. Climbing down trunk.



H. Climbing up trunk.



I. Flying.



J. Alert.




K. Fighting.



L. Mating.



A. Male left, female right.




B. Male sexually licking female.



C. Male and female licking female genitals.



D. Copulation.



E. Female repelling male.



F. Post-coital.